



#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

#### 1 Identification

· Product identifier

Trade name: SMARTCOAT 210 Universal Primer

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Primer

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

CertainTeed LLC
20 Moores Road
Malvern, PA 19355
610 341 7000 9am-5pm EST-USA
www.certainteed.com
CertainTeed-EHS@saint-gobain.com

Emergency telephone number:

ChemTel (800)255-3924 (North America) +1 (813)248-0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-099-0731 (Mexico)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction. Carc. 2 H351 Suspected of causing cancer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

· Signal word: Warning · Hazard statements:

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

(Cont'd. on page 2)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

### Trade name: SMARTCOAT 210 Universal Primer

P280 Wear protective gloves/protective clothing/eye protection.

(Cont'd. of page 1)

P302+P352 If on skin: Wash with plenty of soap and water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
471-34-1	Calcium carbonate	5-15%
13463-67-7	Titanium dioxide	<10%
1314-13-2	Zinc oxide	≤1%
119-61-9	benzophenone	<1%
	♦ Carc. 2, H351; STOT RE 2, H373	
26172-55-4	5-chloro-2-methyl-2H-isothiazol-3-one	<0.05%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330 Skin Corr. 1C, H314; Eye Dam. 1, H318 Skin Sens. 1A, H317	

### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Respiration of particulates is unlikely during normal usage.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Allergic reactions

· Danger: Suspected of causing cancer.

(Cont'd. on page 3)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 2)

Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

Environmental precautions

Avoid release to the environment.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

Avoid breathing dust.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Store in cool, dry conditions in well sealed receptacles.

(Cont'd. on page 4)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 3)

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

**Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

Control parameters			
· Components with limit values that require monitoring at the workplace:			
471-34-1 Calciu	471-34-1 Calcium carbonate		
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction		
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
TLV (USA)	TLV withdrawn		
13463-67-7 Tita	13463-67-7 Titanium dioxide		
PEL (USA)	Long-term value: 15* mg/m³ *total dust		
REL (USA)	See Pocket Guide App. A		
TLV (USA)	Long-term value: 10 mg/m³		
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B		
EV (Canada)	Long-term value: 10 mg/m³ total dust		
LMPE (Mexico)	Long-term value: 10 mg/m³ A4		
119-61-9 benzophenone			
WEEL (USA)	Long-term value: 0.5 mg/m³		
EL (Canada)	IARC 2B		

#### · Exposure controls

### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

A NIOSH approved dust respirator should be used for operations generating dust.

For large spills, respiratory protection may be advisable.

Protection of hands:

(Cont'd. on page 5)

## according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

### Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 4)



## Protective gloves

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

nformation on basic physical a	and chemical properties
Appearance:	
Form:	Liquid
Color:	White
Odor: Odor threshold:	Characteristic Not determined.
	Not determined.
oH-value:	Alkaline
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	~100 °C (~212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
/apor pressure:	Not determined.
Density:	
Relative density:	~1.2
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Soluble.

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 5)

· Viscosity

Dynamic: Not determined. Kinematic: Not determined.

• Other information No relevant information available.

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with strong acids.
- · Conditions to avoid

Excessive heat.

Prevent formation of dust.

- Incompatible materials Strong acids
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

Trace to Monty Pacca on a valuable data, and blacemedian officing and not mon			
· LD/LC50 values that are relevant for classification:			
1314-13	1314-13-2 Zinc oxide		
Oral	LD50	>5000 mg/kg (rat)	
119-61-	119-61-9 benzophenone		
Oral	LD50	>10000 mg/kg (rat)	
Dermal	LD50	3535 mg/kg (rabbit)	

- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Sensitization possible through skin contact.
- IARC (International Agency for Research on Cancer):

Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.

13463-67-7	Titanium dioxide	2B
119-61-9	benzophenone	2B
· NTP (National Toxicology Program):		
None of the ingredients are listed.		
· OSHA-Ca (Occupational Safety & Health Administration):		
None of the ingredients are listed.		

(Cont'd. on page 7)

(Cont'd. of page 6)

# Safety Data Sheet

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

#### Trade name: SMARTCOAT 210 Universal Primer

· Probable route(s) of exposure: Ingestion.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity

Harmful to aquatic life with long lasting effects.

119-61-9 benzophenone		
	6.784 mg/kg (daphnia)	
	14.75 mg/l (pimephales promelas)	
ErC50	3.5 mg/l (Pseudokirchneriella subcapitata)	

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Other adverse effects No relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

- · UN-Number
- · DOT, ADR/RID/ADN, IMDG, IATA Not regulated.
- · UN proper shipping name
- DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

(Cont'd. on page 8)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 7) Transport hazard class(es) · DOT, ADR/RID/ADN, IMDG, IATA · Class Not regulated. · Packing group DOT, ADR/RID/ADN, IMDG, IATA Not regulated. · Environmental hazards · Marine pollutant: No Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

1314-13-2 Zinc oxide

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.

13463-67-7 Titanium dioxide 119-61-9 benzophenone

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

1314-13-2 Zinc oxide

D, I, II

· IARC (International Agency for Research on Cancer):

Reference to titanium dioxide is based on unbound respirable particles and is not applicable to the product as supplied.

(Cont'd. on page 9)

Page: 9/9

# Safety Data Sheet

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 09, 2020

#### Trade name: SMARTCOAT 210 Universal Primer

(Cont'd. of page 8) 13463-67-7 Titanium dioxide 2B 119-61-9 benzophenone 2B Canadian Domestic Substances List (DSL): All ingredients are listed or exempt.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity - Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtel.com